


INDEX MAPS. **T.25 N.R.3 E. 2 ^d Mer.**

186	187	187	188	188	189	
192 6	234 5	223 4	215 3	207 2	200 1	186
233	232	222	214	206	199	
192 7	232 8	221 9	213 10	206 11	198 12	185
231	230	221	213	205	198	
191 18	230 17	220 16	212 15	205 14	197 13	185
229	228	219	211	204	196	
191 19	227 20	218 21	210 22	203 23	195 24	184
227	226	218	210	203	195	
190 30	225 29	217 28	209 27	202 26	194 25	184
225	224	216	208	201	193	
190 31	223 32	216 33	208 34	201 35	193 36	183
181	181	181	182	182	183	

T.26 N.R.3 E. 2 ^d Mer.

6	5	4	3	2	1	
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
North Boundary of Reservation.						
244 30	253 29	251 28	249 27	248 26	246 25	242
254	252	251	249	247	245	
243 31	252 32	250 33	248 34	246 35	245 36	242
239	239	240	240	241	241	

 The figures on the lines refer to the page.

Township No. 25 N. Range No. 3 E. 2nd Mex. Indiana.
Chs. lks

South Boundary.

Var. 5th E.

189.40' On S. Boundary of Sec. 31.

Retook Bearings - a Beech 15 1/2" 6.59 lks. dis.
a Do 12.18 E. 54 " "

10.53 a Sycamore 20 in. diam.

44.90 Set 2nd Sec. post p. wh.

a Beech 15 in. diam. B. N. 31 W. 28 lks. dis.

a Do 14 " " " N. 79 E. 49 " "

54.53 a Lym 18 " "

84.90 Set post cor. to Sec. 31 & 32 p. wh.

a Beech 12 in. diam. B. N. 85 W. 39 lks. &

a Do 7 " " " N. 19 E. 34 " "

Land gently rolling first
rate. Sugar, Beech, Lym, Ironwood,
Elm, Sycamore, W.B. Oak, not much
Willowbrush -

189.40' On S. Boundary of Sec. 32 -

8.80 a W. Oak 12 in. diam.

10.00 Enter Swale N.R.S.

16.00 Lean Do N.R.S.

40.00 Set 2nd Sec. post p. wh.

a Beech 16 in. diam. B. N. 54 W. 21 lks.

a Sugar 10 " " " N. 74 E. 27. "

54.75 an Elm 8 " "

57.00 Enter Marsh N.R.S.

80.00 Set post cor. to Sec. 32 & 33 in Marsh

an Aspen 7 in. diam. B. N. 82 W. 12.00

No other

Land except Swale and
Marsh same as last mile
Marsh wet most of the year

189.40' On S. Boundary of Sec. 33

27.00 Lean Marsh N.R.S.

T. 25 N. R. 3 E. 2nd Mer Indiana

Chs. Mts.

- 29.50 a Road N. & S.
 40.00 Set 2nd Sec. post in Swale p. wh.
 a W. Ash 16 in. diam. S. 55 W. 33 lbs.
 a Ho 6 " " N. 21 E. 33 "
 44.00 Leave Swale or Swamp N. & S.
 54.10 an Elm 15 in. diam
 80.00 Set post Cor. to Sec. 33 & 34 p. wh.
 a Beech 12 in. diam. S. 62 W. 30 lbs.
 a Ho 14 " " " N. 53 E. 32 "
 Land Level first rate
 Beech, Elm, Sugar, Gum, Ironw.
 Oak, Hickory, Sycamore, N. & B. Ash.
 - Spruce & P. Ash

- 189.40 E. On S. Boundary of Sec. 34
 17.63 a W. Ash 12 in. diam
 46.20 Set 2nd Sec. post p. wh.
 a Beech 15 in. diam S. 54 E. 34 lbs.
 a Ho 15 " " " N. 68 W. 40 "
 40.50 a Fence 50 lbs. South
 44.00 a Spring Brook 4 lbs. wide co. North only
 49.00 Leave Fence 50 lbs. South.
 55.25 a Beech 10 in. diam
 62.00 Enter Old Windfall N. & S. co. N. W. & S. E.
 80.00 Set post Cor. to Sec. 34 & 35 p. wh.
 a B. Ash 6 in. diam. S. 27 E. 27 lbs.
 a Beech 8 " " " N. 29 1/2 E. 112 "
 Land Level first rate clay
 soil. - W. Oak, Sugar, Hickory, Ironw.
 p. Windfall grown up with Brins
 and Spruce brush

- 189.40 E. On S. Boundary of Sec. 35.
 12.90 a Beech 8 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 12 in. diam N. 66 E. 32 lbs.

T. 2.5 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

- a Beech 7 in. diam B. N. 36 W. 38 lks. &
 55.59 an Elm 15 " "
 80.00 Set post Cor. to Sec. 35 & 36 p. wh.
 a Beech 12 in. diam. B. N. 85 E. 50 lks. &
 a Do 10 " " " N. 85 E. 49 " 5.
 Land well first rate - Mostly
 Old Windfall grown up with Brins
 Thorns. Vines &c

- N. 89.40 E. On S. Boundary of Sec. 36
 8.50 a Beech 12 in. diam
 40.00 Set 2nd Sec. post p. wh.
 a Beech 8 in. diam B. N. 40 E. 30 lks. &
 a Do 10 " " " S. 44 W. 40 " "
 41.00 Leave Windfall S. E. & N. W.
 42.00 Dry Bed of Stream 08. co. Northwly
 46.50 Dry Bed of Stream 8 " "
 52.00 a Sugar 18 in. diam
 52.50 a Road N. & S.
 70.35 a Stream 10 lks. wide co. Northwly
 80.00 Set post Cor. to Towns 24 & 25 North
 Ranges 3 & 4 East p. wh.
 a Beech 12 in. diam B. N. 45 W. 76 lks.
 a Do 15 " " " N. 71 E. 55 "
 (Intersected Random S. 63 E. of post)
 Land gently rolling first
 rate - Beech. Sugar. Ironb. Lym. Elm.
 Oak &c - Windfall grown up with
 Thorns. Brins & Vines - Oct. 28. 1846. -

East Boundary.

- North On E. Boundary of Sec. 36
 7.50 Descend 8 feet to Creek Bottoms E. & W.
 10.00 a Stream 8 lks. wide co. Westerly
 14.00 Leave Creek 50 lks. wide ca N. N. W.

184.

T 25 N. R. 3 E. 2nd Mer. Indiana, Ch. Lk.

- Rapids with Stony Bottom
 15.00 As and 10 ft. fr. Creek Bottoms and
 Enter old Indian Clearings
 26.30 a W. Wood 36 in. diam. & Lean old
 fields E. & W.
 40.00 Set 2nd Sec. post fr. wh.
 a Sugar 15 in. diam. N. 57 E. 23 W.
 a Do 15 " " " N. 62 W. 25 "
 53.05 a Hickory 12 " " "
 80.00 Set post Cor. to Sec. 25 x 36 fr. wh.
 a Beech 15 in. diam. S. 26 W. 48 W.
 a Do 8 " " " N. 33 W. 10 "
 Land first half mile rolling
 Last half mile level, all fine rate
 Beech, Sugar, Syc. Ironwood
 Hick. W. Wood, W. B. Oak. W. & B. Ash &c.

-
- North On E. Boundary of Sec. 25,
 21.00 a B. Walnut 36 in. diam.
 39.50 a Trail N. W. & S. E.
 40.00 Set 2nd Sec. post fr. wh.
 a Beech 10 in. diam. N. 66 W. 37 W. &
 a W. Ash 10 " " " N. 85 E. 42 "
 49.50 Dry Bed of Stream 10 W. wide co. Westly
 58.40 a Buckeye 8 in. diam.
 67.50 Dry bed of Stream 8 W. wide co. Westly
 80.00 Set post Cor. to Sec. 24 & 25 fr. wh.
 a Beech 12 in. diam. S. 42 W. 37 W. &
 a Do 15 " " " N. 25 W. 36 "

Land here B. Walnut, Sugar,
 Syc. Ironw. B. Walnut, Hick.
 Beech. W. B. Oak, Sycamore, W. B. Ash.
 Maple & some Spruce P. Ash & G. Vines -

-
- North On E. Boundary of Sec. 24
 23.65 a White oak 8 in. diam.

T. 25 N. R. 3 E. 2nd Mer. Indiana.

185.

Chs. Lhs.

- 40.00 Set 2nd Sec. post p. wh.
an Ironwood 4 in. diam. 8.45 M. 19 lbs. &
a Beech 6 " " " 4.82 E. 15 "
- 43.50 Dry Bed of Stream 10 lbs. wide co. Westwardly
- 60.00 a House 150 E. of this Line
- 65.12 a Beech 12 in. diam.
- 80.00 Set post Cor. to Sec. 13 & 24 p. wh.
a Blue Ash 12 in. diam. 4.46 M. 50 lbs.
a Black Ash 8 " " " 4.10 M. 19 "
- Land Lvs. first rate - Beech,
Sugar, G. m. Buckeye, Ironw. W. Blue;
Black Ash, Hickory, W. B. Oak, Elm,
Sycamore, Maple &c Oct. 28. 1846

North C. E. Boundary of Sec. 13.

- 15.00 a Road Ex. W. of Ascend 10 feet to
Creek Bottoms N. E. & S. W.
- 16.50 a Creek 50 lbs. wide Rapid & Shallow
Course Westwardly
- 29.25 a Beech 18 in. diam. & Ascend 8 feet
from Creek Bottoms E. & W.
- 38.00 Road N. E. & S. W.
- 40.00 Set 2nd Sec. post p. wh.
a Beech 6 in. diam. 8.44 M. 42 lbs. &
a Do 12 " " " 4.35 E. 36 "
- 56.20 a Do 12 " " "
- 80.00 Set post Cor. to Sec. 12 & 13 p. wh.
a Beech 6 in. diam. 8.42 M. 9 lbs. &
a W. Ash 15 " " " 4.47 E. 49 "
- Land Lvs. first rate - Beech
Sugar, Elm, W. Ash, B. Walnut, Hickory,
Ironwood - Spruce & P. Ash -

North C. E. Boundary of Sec. 12

- 24.60 a Beech 14 in. diam.
- 40.00 Set 2nd Sec. post p. wh.

T. 25 N. R. 3 E. 2^{11a} Mer. Indiana,
chs. 6.

a W. Oak 15 in. diam. b. S. 22 E. 15 lbs. &
a Beech 6 " " " N. 40 W. 14 "
53.95 a W. Oak. 12 " " and Enter
Low wet Land E. & W.

73.50 a Road E. N. E. & W. S. W.

80.00 Set post corners 1 & 12 p. wt.

a W. Wood 15 in. diam. b. S. 25 W. 42 lbs. &

a W. Oak 10 " " " N. 75 W. 41 "

Land & Soil first rate Last 1/2
mile rather wet - Beech. Sugar.
Ironwood, Gum. W. Ash &c - Elm,
B. Ash. Hop. Oak. W. Birch. Maple &c.

North On E. Boundary of Sec. 1.

3.00 a Road N. N. W. & S. S. E.

13.00 Low Swampy Land S. E. & N. W.

23.50 a B. Oak 18 in. diam.

40.00 Set 2^d Sec. post p. wt.

an Elm 12 in. diam. b. S. 17 W. 22 lbs. &

a W. Ash 10 " " " N. 25 E. 35 "

57.28 a W. Wood 15 " "

78.72 Intersected N. Boundary at post as
previously established

Land rather Low & wet
but first rate - Elm. B. Ash. White-
wood, Ironw. Maple. W. Birch. Oak.
W. Ash &c - Spruce & P. Ash
See N. Boundary for (Mts. p.) Oct. 29. 1846.

North Boundary

189506 On S. Boundary of Sec. 31. T. 26 N. R. 3 E.
Re-established Town Cor.

a Beech 12 in. diam. b. N. 45 E. 63 lbs. &

an Ironw. 8 " " " S. 48 E. 37 " "

15.37 a Hick. 20 " "

T25 N. R. 3 E. 2nd Mer. Indiana
ch. lks.

- 28.50 a Road N. N. W. & S. E.
32.40 Set 2nd Sec. post p. wh.
an Elm 30 in. diam. ~~N. 62~~ W. 21 lks. dis.
a B. Ash 10 " " " N. 40 W. 48 " "
50.21 a W. Ash 18 " "
72.40 Set post Cor. to Sec. 31 & 32 p. wh.
a B. Walnut 12 in. diam. ~~N. 47~~ W. 51 lks. dis.
a Birch 12 " " " N. 34 E. 12 " "

Land sure fine rate - clay
soil - timber with B. Walnut, Birch,
W. Oak, Lym. White wood, Iron wood
Sycamore, Butternut, Buckeye, Sugar,
Hickory & - Undergrowth, Spice, P. Ash. -

- N89.50'E. On S. Boundary of Sec. 32 T26 N. R. 3 E.
22.47 a Sycamore 18 in. diam.
40.00 Set 2nd Sec. post p. wh.
a W. Ash 8 in. diam. ~~N. 78~~ W. 32 lks. dis.
a Birch 10 " " " N. 78 E. 74 " "
47.50 Dry Bed of Stream 10 lks. wide co. N. W.
57.10 a B. Oak 10 in. diam.
80.00 Set post Cor. to Sec. 32 & 33 p. wh.
a B. Oak 10 in. diam. ~~N. 37~~ W. 37 lks. dis.
a Birch 8 " " " N. 52 E. 50 "

Land sure fine rate soil -
timber with Birch, W. Ash, Elm, Lym.
Ironw. W. & B. Oak, Hickory, Sugar,
W. Wood, B. Walnut, Sycamore & -
Undergrowth, Spice & P. Ash.

- N89.50'E. On S. Boundary of Sec. 33 T26 N. R. 3 E.
1.20 a Road N. & S.
3.00 a Fence 1.00 S. of Line
5.00 a House in field, about 400 South
8.00 Dry Bed of Stream 10 lks. wide co. N.
10.00 E. end of Fence 1.00 South

188.

T25 N. R. 3 E. 2nd Mer. Indiana

cls. lks.

14.00 a Road N. & S.

21.40 a Sycm 10 in. diam.

32.28 a W. Oak 24 " "

32.50 a Road N. & S.

40.00 Set 2nd Sec. from p. wh.

a Birch 8 in. diam. E. N. 50 E. 9 lks. dis.

a Do 10 " " " S. 15 W. 35 " "

48.00 a Trail N. & S.

62.40 a Sycm 10 in. diam.

80.00 Set 1st & 2nd Sec. to Sec. 33 & 34 p. wh.

a B. Oak 10 in. diam. E. N. 44 E. 11 lks. &

a W. Ash 10 " " " N. 42 E. 41 "

Land Sure & Rich - Timber
with Birch, Sugar, Ironwood, Sycm,
W. Wood, Hickory, W. & B. Oak, & E.
Midgth Spruce & P. Ash.

N. 89.50 E. On S. Boundary of Sec. 34, T26 N. R. 3 E.

32.90 a Hickory 10 in. diam.

40.00 Set 2nd Sec. from p. wh.

an Ironwood 6 in. diam. E. N. 44 E. 12 lks. dis.

a Birch 10 " " " S. 60 E. 57 " "

48.00 a Trail N. & S.

62.30 a Sycamor 30 in. diam.

64.00 Bed of Stream 10 lks. wide co. N. W.

80.00 Set from Cor. to Sec. 34 & 35 p. wh.

an Elm 12 in. diam. E. N. 75 W. 11 lks. dis.

a Do 12 " " " N. 35 E. 35 " "

Land Sure fine soil - rather
wet - Ironwood, W. & B. Oak, Sycm, Birch,
Sugar, Hickory, Sycamor, W. Wood,
W. B. Oak, Maple &
Spruce & P. Ash

N. 89.50 E. On S. Boundary of Sec. 35, T26 N. R. 3 E.

31.00 Enter Alder Swamp N. & S.

189.

T. 25. N. R. 3 E. 2nd Mer. Indiana.

ch. lbs.

35.00 Lean Alder Soft. N. & S.
 35.30 an Elm 12 in. diam.
 40.00 Set 2^d Sec. post p. wh.
 a B. Ash 12 in. diam. N. 10 W. 12 lbs. &
 a L. 12 " " " 4, 53 & 30 "

67.75 a Beech 8 " "
 80.00 Set post Cor. to Sec. 35 & 36 p. wh.
 a Beech 8 in. diam. N. 82 E. 40 lbs. &
 a B. Walnut 14 " " " N. 15 W. 71 "

Land Soil fine & rather
 rich. N. B. Ash. Elm. Linn. Beech.
 Sugar. Hornwood. N. Wood. B. Walnut.
 Buckeye & P. Ash. & Spice.

189506 On S. Boundary of Sec. 36 T. 26 N. R. 3 E.
 25.10 a W. Wood 20 in. diam.
 40.00 Set 2^d Sec. post p. wh.
 a Beech 14 in. diam. N. 50 W. 50 lbs. dis.
 a B. Oak 14 " " " N. 31 E. 36 " "

57.00 a Road N. W.

62.85 an Elm 18 in. diam.

76.40 Bed of Stream 10 lbs. wide cor. N.

80.00 Set post Cor. to Twp. 25 & 26 North
 Range 3 & 4 E. p. wh.
 a Beech 12 in. diam. N. 87 E. 33 lbs. dis.
 a B. Oak 14 " " " N. 30 W. 22 " "

Intersecta S. 40th S. of Twp. 25 Cor.

Land Soil fine & rather
 rich. Beech. Sugar. Hornwood. Linn.
 Hickory. Elm. N. B. Ash. B. Walnut.
 Sycamore. & Spice. Beech. & P. Ash.

October 10th 1846. Surveyed by
 John Mullett

Aspy. Surveyor.

West Boundary.

190.

T. 25 N. R. 3 E. 2nd Mer. Indiana,
Ch. 16.

Var. 4° 10' E.

North On E. Boundary of Sec. 36, T. 25 N. R. 2 E.

3.00 a Red Elm 20 in. diam.

18.64 a Poplar 36 " "

37.20 a Soft. Ash 36 " "

40.00 Set 2nd Sec. post fresh.

a Beech 11 in. diam. to N. 35 W. 65 lbs. dia.

a Do 17 " " " 33 W. 61 " "

51.21 a W. Oak 46 " "

57.02 a Poplar 22 " "

59.75 an Indian Hair N. W.

77.55 a Poplar 30 in. diam.

79.94 Enter Shue 20 lbs. in dia. co. W.

80.00 Set post Cor. to Sec. 25 & 36 p. wh.

a Beech 11 in. diam. to N. 65 W. 35 lbs. &

a Do 16 " " " N. 14 W. 103 "

Line 2nd Rate Land Timber

Beech. Ash. Elm. Sugar. Hickory,

Walnut, Lym. & Spruce

North On E. Boundary of Sec. 25, T. 25 N. R. 2 E.

20 Clear Shue

4.85 a Sugar 16 in. diam.

18.60 a W. Elm 18 " "

36.00 a Soft. Ash 22 " "

40.00 a B. Ash 24 " " Cor. tree

44.10 a Soft. Ash 12 " "

59.62 a B. Ash 12 " "

66.50 Enter Willow Pond N.

69.00 Clear Same

73.48 a W. Elm 30 in. diam.

80.00 Set post Cor. to Sec. 24 & 25 p. wh.

a Maple 14 in. diam. to N. 62 W. 32 lbs. &

a Beech 17 " " " N. 34 W. 55 "

Land same as last

191.

T. 25 N. R. 3 E. 2nd Mer. Indiana,

chs. lks.

North On E. Boundary of Sec. 24 T. 25 N. R. 2 E.
 9.96 a Red Oak 36 in. diam.
 24.55 a Beech 20 " "
 34.89 a Do 18 " "
 45.00 Set 2nd Sec. post p. wh.
 a Beech 10 in. diam. to N 29 W. 19 lks. &
 a Buckeye 10 " " " N 64 W. 62 "
 40.96 a Beech 22 " "
 41.07 a Granite Rock 5 lks. W. 3.
 48.25 an Indian Trail W.
 50.25 a Dry Run 10 lks. wide. co. W.
 64.40 Indian Trail W.
 69.90 Enter N. Fork of Deer Creek 70 lks. W.
 70.95 Clear Do - 79.68 a W. Elm. 45 in. diam.
 80.00 Set post Cor. to Sec. 13 & 24 p. wh.
 a Beech 22 in. diam. to N 51 W. 22 lks. &
 a Do 26 " " " N 58 W. 12 "
 Sand same as last

North On E. Boundary of Sec. 13 T. 25 N. R. 2 E.
 8.98 a Beech 34 in. diam
 11.80 an Indian Trail N. E.
 36.89 a Beech 16 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 20 in. diam. to N 43 W. 44 lks. &
 a Do 8 " " " N 16 W. 54 "
 43.98 a Poplar 30 " "
 47.88 a B. Ash 18 " " Enter Exp. - N. E.
 50.00 Clear Swamp
 56.08 an Indian Trail W.
 70.95 a Beech 9 in. diam.
 77.55 a Sugar 24 " "
 80.00 Set post Cor. to Sec. 12 & 13 p. wh.
 a Beech 7 in. diam. to N 80 W. 39 lks. dir.
 a Do 12 " " " N 66 W. 45 " "
 Gently rolling 2nd Rate Sand

192. T. 25 N. R. 3 E. 2nd Mer. Indiana.
chs. lks.

Timber Beech, Oak, Ash, Sugar,
Elm, Symph. - Spic Paw Paw &c

North On E. Boundary of Sec. 12 T. 25 N. R. 2 E.
12.60 a Beech 14 in. diam.
20.14 a Do 12 " "
23.66 a W. Oak 60 " "
40.00 Set 2nd Sec. for sp. wh.
a Beech 40 in. diam. N 30 W. 11 lks. &
a Do 17 " " S. 15 W. 40 "
45.27 a Syp. Ash 12 " "
48.46 a Poplar 18 " " Indian Trail N. W.
59.00 Enter Swamp, dry, E. & W.
68.16 a Jack-Oak 12 in. diam.
70.50 Clear Swamp
80.00 Set for Cor. to Sec. 1 & 12 sp. wh.
a W. Oak 20 in. diam. N. 13 W. 40 lks. dir.
a Syp. Ash 24 " " " S. 76 W. 30 " "

Flat Secondary Sand
Timber Ash, Elm, Oak &c Undergrowth,
Spic. Sugar, & Willow

North On E. Boundary of Sec. 1 T. 25 N. R. 2 E.
17.45 a B. Ash 24 in. diam
27.39 a Beech 34 " "
37.00 a Poplar 36 " "
38.50 Enter Willow Swamp N. E.
40.00 Set 2nd Sec. for sp. wh.
a Willow 10 in. diam. N. 43 W. 81 lks. &
a Maple 10 " " " S. 31 W. 66 "
44.00 Clear Swamp
53.90 a Hickory 12 in. diam.
67.31 a Gray Ash 12 " "
81.59 Intermittent N. Boundary 1.02 E. of Temp. 7. from
where set for Cor. to Towns 25 & 26 N.
Rangers 2 & 3 East - sp. wh.

T. 25 N. R. 36, 2nd Mer. Indiana,
Chs. lks.

193.

an Ironw. 5 in. diam. W. S. 64 W. 39 lbs. x
a B. Ash 10 " " " S. 75 E. 8 "

Land same as last

October 16, 1838 Surveyed by
Arthur St. Clair Vance
Depy. Surveyor -

Subdivision

Var. 42° 35' East

North Bottom Section 35 & 36

8.20 a Poplar 26 in. diam.

20.25 a Gray Ash 48 " "

40.00 1st 2nd Sec. from p. wh.

a Beech 10 in. diam. W. S. 64 W. 19 lbs. x

a Do 18 " " " S. 29 W. 40 "

40.25 Summit of Bluff Bank Elev. 60'

40.50 Foot of Hill

40.75 North Fork of Big Deer Creek co W. Low
Banks - Star-Current

41.50 Star Deer Creek

47.40 a W. Elm 40 in. diam.

52.50 Road cross N. W. - vacuata

56.75 a Hickory 22 in. diam.

86.00 1st foot Cor. to Sec. 25. 26. 35. 36 p. wh.

a Beech 18 in. diam. W. S. 62 W. 24 lbs. x

a Red Oak 16 " " " N. 66 W. 40 "

Land from 40.00 Clay Soil Soil good

2nd Rate Timber W. Oak Poplar. Elm. & Beech.

Last 40.00 gently rolling 2nd Rate
Timber as before widening spine
Beech & Ironwood -

Aug 40. On Random Betw. Sec. 25 & 36 Var. 45° E.

9.40 a Road cross N. & S.

40.00 1st Trip. from

43.00 Low wet Land extends N. & S.

T. 25 N. R. 3 E. 2nd Mer. Indiana.

ch. lks.

69.00 Scar w/ Land
 79.14 Interrupted E. Bound 4.58 lks. E. of pon
 Lane fine 40.00 gently roll-
 ing second rate Timber W. Oak, G.
 Ash, Beech & Sycamore. Next 23.00
 Low w/ l. Third rate Timber Syc.
 Ash, Elm, & Maple. - Next 19.00 second
 rate Timber as before

189.15th Established line betw. Secs. 25 & 26
 22.21 a Beech 18 in. diam.
 39.57 1/2 Sec. for p. wh.
 a Beech 14 in. diam. N 34 E. 11 lks. dis.
 a Do 20 " " S 74 E 35 " "
 60.30 a Do 13 " "
 79.14 to Sec. Cor.

North Between Sections 25 & 26, Var. 4.35' E.
 8.00 a Beech 10 in. diam.
 15.00 Low w/ l. Marshy Land Extra Eastward
 17.80 a Syc. Ash 8 in. diam.
 27.00 Scar w/ l. Marshy Land
 28.00 a Road brass w/ l.
 28.29 a Poplar 26 in. diam.
 40.00 1/2 Sec. for p. wh.
 a Beech 10 in. diam. N 35 E. 16 lks. &
 a Do 14 " " N 47 W. 14 "
 48.23 a G. Ash 30 " "
 57.16 a Beech 10 " "
 80.00 1/2 Sec. Cor. to Secs. 23, 24, 25, 26, p. wh.
 a Beech 12 in. diam. N 61 E. 39 lks. &
 a Do 10 " " S 58 W. 46 "
 Lane fine 15.00 gently rolling
 second rate Timber W. Oak, Ash &
 Beech - Next 12.00 w/ l. Third rate
 Timber Syc. Ash, Elm & Maple.

T. 25 N. R. 3 E. 2nd Mer. Indiana
chs. 16.

Net 53.00 Luml dry Lana, second
rate - Timber W. Oak, Ash, Lym & Beech.
Width Spice & Beech

-
- 189.15' E. On Random Betw. Sec. 8. 24 x 25 Var. 4.50' E.
19.00 Road cross 4. Along old trail
23.50 a Branch 5 lks. wide co. North
31.50 a Do 5 " " " Do.
38.75 Amount of Bluff Bank Elev. 50'
39.00 Foot of Bluff
40.00 Sel. Temp. 100 L
40.50 Middle Fork of Big Deer Creek.
co. N.W. Low Banks. Star Current
40.75 Near Middle Fork
64.00 1.00 S. N.W. Cor. of Improvement no
owner - Contains 7. Acres
74.00 1.00 S. N.E. Cor. of Improvement
79.00 Intersected E. Boundary at post
Land from 4000 gently rolling
Second rate - Timber W. Oak & Beech.
Width Beech & Spice - Last 39.00
Luml second rate - Timber Oak, Lym,
Sycamore, Hickory & Beech -

-
- 189.15' W. Established Line betw. Sec. 24 x 25
29.00 a Poplar 18 in. diam.
39.50 Sel 2nd Sec. post for wh.
a Beech 18 in. diam. to N. 44th W. 15 lks. &
a Do 20 " " " S. 5th E. 30 "
51.00 a Do 24 " "
72.50 a Lym 10 " "
79.00 to Sec. Cor.

-
- North Between Sections 23 x 24 Var. 4.50' E.
5.62 a Burr Oak 30 in. diam.
36.46 a W. Elm 38 " "

196.

T. 25 N. R. 3 E. 2nd Mer. Indiana.

Chs. lks.

- 40.00 Set 2nd Sec. from p. wh.
a Beech 8 in. diam. 1/2 N 51 E. 6 lks. &
a W. Beech 6 " " " N 46 W. 12 "
- 49.30 a Hickory 24 " "
- 53.50 a Road bears West
- 63.23 a Beech 18 in. diam.
- 80.00 Set from Cor. to Sec 13, 14, 23, 24 p. wh.
a Beech 8 in. diam. 1/2 N 57 E. 34 lks. &
an Ironw. 8 " " " N 80 E. 24. "

Land from 40.00 gently
rolling somewhat. Timber W. Oak,
Hickory, & Beech. Undergrowth Spice
Ironwood, & Beech. East 40.00
Land inclined to be wet 2nd Rate
Timber Oak, Sugar Ash, Gum, Sycamore
& Beech. Undergrowth Spice, Ironwood
and Beech. Scattering

Note by Surveyor

Increase the variation
in consequence of some local Attraction
Eastward - Dec. 19, 1846

- 89.15 E. On Random Betw. Sec. 13 & 24, Var. 450 E.
- 2.00 Middle Fork of Deer Creek co. N.
- 17.00 a Road bears N. & E.
- 19.00 a Maple Swamp
- 27.50 Clear 200 bears N. & E.
- 39.00 a Branch 6 lks. wide co. N. W. 1/2 Twp. from
- 45.00 W. side of Harry Miller's improvement
South 3.00 Log Cabin
- 48.00 Clear Improvement
- 65.00 an Elm Swamp
- 78.90 Intersited E. Boundary 10 lks. S. of from

Land from 40.00 land 2nd Rate
Timber W. Oak, G. Ash, Elm & Beech
Undergrowth, Spice & Beech.

197.

T. 25 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

489.10 W. Established Line betw. Sec. 13 & 24

18.00 a Sugi. Elm 18 in. diam.

25.00 a Beech 12 " "

39.45 Set 2nd Sec. post for wh.

a Beech 20 in. diam. to 4.59 W. 18 lks. &

a W. Elm 36 " " " N. 51 W. 18 "

42.00 a Beech 12 " "

61.00 a Sycam 18 " "

78.90 to Sec. Cor.

Land fr. 2nd Sec. Line 2nd Rate -
Timber W. Oak, Sycam, Beech, Last
15.00 Swamp floor - Timber Swamp
Ash, and Elm.

North Between Sections 13 & 14 Var. 4.50 E.

1.00 a Creek 30 lks. wide co. N.W.

7.85 a Beech 14 in. diam.

11.50 a Do 30 " "

14.00 N. Fork of Big Her Creek co. West
flow current Low Banks

14.75 Lean Creek

17.50 a Road runs West

20.14 a Beech 10 in. diam.

29.19 a Poplar 36 " "

40.00 Set 2nd Sec. post for wh.

a Buckeye 12 in. diam. to N. 60 W. 16 lks.

a Beech 12 " " " N. 60 E. 28 "

42.00 a Branch 10 lks. wide co. West

49.48 a Beech 12 in. diam.

65.74 a Do 10 " "

72.00 a Sugar 30 " "

72.50 a Branch 6 lks. wide co. N.W.

80.00 Set post Cor. to Sec. 11, 12, 13, 14 for wh.

a Sugar 36 in. diam. N. 29 E. 24 lks.

a Beech 18 " " " 4.42 W. 18 "

Land first 40 to Line good

198.

T. 25 N. R. 3 E. 2nd Mer. Indiana,
Chs. 16.Second rate Timber W. Oak & Ash,
Poplar, Sugar & Beech. - Under the
Beech & HomewoodLast 14.00 gently rolling
Second rate - Timber W. Oak, Sugar,
R. Elm & Beech. - Under, as before

189. 106. On Random Butte Sec. 12 & 13, Var. 4.50 E.

3.00 Low level land, inclined to be wet

38.50 a Road cross N. & S.

40.00 1st Temp. post

45.00 a Branch 8 bks wide co. South

73.50 a Do 6 " " " 150 W.

79.00 Interspersed Rang. Lim 15 bks N. of post

Land first 3.00 rolling 2nd Rate
Timber W. Oak, Ash & Beech. Last
76.00 Low level land, poor second
rate - Timber Oak, Ash, Maple,
Lynn, Sycamore & Beech. Under the
Spice, W. Beech, & Ironw.

Note by Surveyor

This E. & W. line falls short
on account of local attraction S. E.

189. 106. Established Lim Butte Sec. 12 & 13

13.00 a Lynn 10 in. diam

33.46 a Beech 12 " "

39.50 1st 2nd Sec. post fr. wh.

a Beech 8 in. diam. E. 265 E. 31 Nks.

a Do 8 " " " N. 10 E. 36 "

61.19 a Do 20 " "

79.00 to Sec. Cor.

North Between Sections 11 & 12 Var. 5° E.

4.50 a Branch 6 bks wide co. 150 W.

6.00 Branch again co. 120 E. Continues W. of line.

T. 25 N. R. 3 E. 2nd Mer. Indiana,

Chs. lks

- 13.00 a Branch again co. S. 30 W.
 13.16 a Sycamore 40 in. diam.
 18.00 Branch again co. S. E.
 19.00 Branch again co. S. W.
 23.00 a Willow Swamp Extincts E. & W.
 33.00 Lean Swamp
 39.50 a Hickory 18 in. diam.
 40.00 Set 2nd Sec. from north.
 a R. Elm 8 in. diam. to S. 39 E. 10 lks.
 a Sugar 8 " " " S. 47 W. 30 "
 60.12 a G. Ash 32 " "
 77.57 a R. Oak 30 " "
 80.00 Set from Cor. to Sec. 1, 2, 11, 12. from wh.
 a Gray Ash 8 in. diam. to N. 6 W. 3 lks. &
 a Burr. Oak 40 " " " S. 70 W. 57 "

Land first 40.00 N. & S. of Swamp.
 Sur. Second rate - Timber W. B. Oak,
 Poplar, Gum, & Beech. Last 40.00
 Sur. 2nd Rate - Timber W. & R. Oak
 Sycamore, Poplar & Beech - Under the
 Gum & Beech

Note by Surveyor

Increased the variation to 5° E.
 in consequence of local attraction S. E.

N. 89.16 E. On Random Betw. Sec. 1 & 12. Var. 43.50 E.

15.00 Low wet Marshy Land

20.00 Road bars N. & S.

30.00 Lean wet Land

40.00 Set Temp. 4, from

79.50 Interrupted E. Boundary 52 lks. N. of from

Land first 15.00 Sur. second
 rate - Timber W. Oak, R. Oak, & Beech -
 Next 15.00 Wet Marshy poor - Last
 51.00 Sur. 2nd Rate - Timber Oak,
 Sycamore, Gum, Maple & Beech. Under the

200.

T. 25 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

Spice & P. Ash

189.37 W. Established Line betwth Sec. 1 & 2

17.00 a Beech 14 in. diam.

33.68 a Lym 12 " "

39.75 Set 2nd Sec. post p. wh.an Ironwth 8 in. diam. E. N. 7/8 W. 20 lks.

a Ho 6 " " " 64 W. 2 "

71.08 a Beech 12 " "

79.50 to Sec. Cor.

North Between Sections 1 & 2 Var. 5% East

40.00 Set Temp^y post43.00 Outlet 6 lks. wide fr. Sup. E. co. W. The
E. of 43.00 extends & widens out Eastward

68.00 a Willow Swamp bears E.

76.00 Scar Swamp

78.00 Intersect N. Boundary 10 lks. W. of post

Land post 40. Line runs rate Tim.
W. Oak, Sugar Elm, & Beech. Underneath
P. Ash & Spice Last 38. Low wood & soil poor.
Timber Sup. Ash, Elm, Hick^y, Maple,
Lym, Sycamore, & Beech Underneath
Spice, P. Ash & Beech

Dec. 21. 1846.

South Established Line betwth Sec. 1 & 2

a Sycamore 30 in. diam. E. 28 E. 34 lks.

a Ho 24 " " " 43 W. 60 "

15.06 a Lym 10 " "

33.26 a Beech 24 " "

38.00 Set 2nd Sec. post p. wh.

a W. Oak 36 in. diam. E. 75 E. 88 lks. &

a Beech 12 " " " 21 W. 12 "

56.10 a Ho 18 " "

68.71 a Lym 12 " "

T. 25 N. R. 3 E. 2nd Mer. Indiana,
chs. lks.
78.00 to Sec. Cor.

North Between Sections 34 & 35 Var. 450' E.

16.12 a W. Oak 24 in. diam.

17.00 a Branch 6 lks. wide co. N.W.

29.00 East 1.50 S.W. Cor. of small improvement

30.00 Branch again co. N.E.

32.00 Branch again co. N.W.

33.30 East 1.00 N.W. Cor. of improvement & Leg Cabin

40.00 Set 2^d Sec. post pr. wh.

a Beech 18 in. diam. to 4.11 E. 26 lks. &
an Iron? 6 " " " 4.68 W. 13 "

48.50 3.00 E. 4.6. Cor. of J. Haggets improvement

54.50 Leave N.E. Cor.

69.50 S. Fork of Big Deer Creek co. W.

70.00 Leave W. Fork

71.00 E. End of Swamp

73.00 Leave Swamp

74.00 Windfall course 110 E.

80.00 Set post Cor. to Sec. 26, 27, 34, 35 pr. wh.

a Beech 8 in. diam. to 4.55 E. 35 lks. &

a Do 8 " " " 4.88 W. 60 "

Land first 40.00 Lumber second
rate - Timber Oak, Ash, Beech & Poplar.

Undergrowth Spruce & Beech. Last 40.00

Rolling 2nd Rate Timber W. Oak.

Poplar & Beech - Undergrowth Spruce & Beech.

Swamp, poor

N. 39 40' E. On Random Betw. Sec. 26 & 35 Var. 450' E.

8.50 Leave Windfall

40.00 Set Temp. post

46.50 Old Road vacated. Bars S. E.

80.00 Intersected by S. Line 13 lks. S. of post

Land first 8.50 with in Windfall
Last 71.50 Lumber inclined to be second

T. 25 N. R. 3 E. 2nd Mer. Indiana
cho. lks.

Rato-Timber Oak, Ash & Beech—
Wngth. Spruce & Beech—

18935 W. Established Limb to Sec. 26 & 35
18.20 a Beech 12 in. diam.
38.50 a W. Oak 18 " "
40.00 Set 2nd Sec. foot p. wch.
a Beech 8 in. diam. to 12th N. 33 lks. &
a Do 10 " " " 4.40 W. 28 "
52.19 a R. Elm 12 " "
68.41 a Beech 20 " "
80.00 to Sec. 40.

North 1. Between Sections 26 & 27 Var. 4.50 E.
4.00 Clear Windfall
5.00 W. End of Maple & Willow Swamp.
8.50 Clear Swamp
22.81 a Hickory 12 in. diam.
25.00 a Road cross Ex W.
33.91 a Beech 12 in. diam.
40.00 Set 2nd Sec. foot p. wch.
a Beech 18 in. diam. to 33 N. 6 lks. do
a Sugar 6 " " " N. 25 E. 9 " "
45.34 a Hickory 12 " "
47.00 Marshy Land Extends Ex W.
55.00 Clear Marshy^{wch} Land continues
68.00 a Sugar 24 in. diam.
80.00 Established Cor. to Sec. 22, 23, 26, 27 p. wch.
a Beech 20 in. diam. to N. 47 W. 27 lks. &
a Do 12 " " " 4.39 W. 9 "
Land first 4000 feet inclined
to be w. third rate-Timber Beech,
Maple, & Spruce. Wngth. Spruce, P.
Ash, & Beech. Swamp poor
Land in Marsh poor. Bal. Low
Land third rate-Timber Oak, Beech.

T. 25 N. R. 3 E. 2nd Mer. Indiana, 203.
chs. lks.

Sup. Elm & Maple - length as before

189.40 E. Q. 11 Random Betw^t Sec. 23 & 26 Mar 4.50' E.

9.50 a Branch 10 lks. wide co. N. 10 E.

15.50 a Road bars N. & S.

40.00 Set Temp'y. post

42.00 Wet Land

76.00 Clear wet Land

79.72 Intersected N. & S. line at post

Land first 42.00 Live second
rate - Timber W. Oak & Beech - length.
Spec. scattering Last half first
34.00 poor & Open - Timber Sup. Ash, Elm.
& Maple, Last 3.72 rolling second rate
Timber W. Oak & Beech - length, Beech,
and Hornwood -

189.40 W. Established line betw^t Sec. 23 & 26

10.50 a Sup. Ash 10 in. diam.

29.63 a Sup. Elm 18 " "

39.86 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. to S. 35 W. 4 lks. &

a Do 8 " " " N. 46 W. 10 "

60.32 a Do 18 " "

79.72 to Sec. Cor.

North Between Sections 22 & 23 Mar. 5 East

14.82 a Hickory 24 in. diam.

19.50 a Road bars N. W.

26.00 a Branch 8 lks. wide co. W.

34.00 a Beech 30 in. diam.

40.00 Set 2nd Sec. post p. wh.

a G. Ash 34 in. diam. to S. 42 W. 19 lks. &

a Beech 24 " " " N. 36 E. 46 "

55.69 a Do 18 " "

60.83 a Red Elm 30 " "

T. 25 N. R. 3 E. 2nd Mer. Indiana

Chs. Lks.

- 64.50 W^m Dixon's Improvement Line passes through West End
- 73.60 Leach Improvement
- 77.00 N. Fork of Big Deer Creek
- 77.75 Leach Creek co. W. Low Banks.
- 80.00 Set post Cor. to Sec. 15, 14, 23, 22. p. wh. a Lynn 18 in. diam. to East 57 lks. a Hickory 10 " " " N. 37 1/2 W. 3 "
- Land first 4000 Open Land & good second rate. Timber W. Oak, G. Ash, Poplar & Beech - Unqth. Spruce Beech & Ironb.
- Last 4000 as before. Timber W. Oak, Ash & Beech - Unqth. Spruce & Beech.

- N. 89 1/2 E. On Random Betw. Sec. 14 & 23. Nor. 430' E.
- 1.00 a Road bears S. 20' E.
- 3.00 a Willow Swamp. 2,00 wide
- 40.00 Set Temp. post
- 45.00 N. Fork of Big Deer Creek co. S. W. Low Banks slow current
- 45.75 Leach Creek
- 51.00 John Knox Improvement - Sec. Line runs through N. Part - 8 Acres under and Log Cabin S. of Line
- 56.50 Leach Improvement
- 79.50 Intersected by S. Line 20 lks. S. of post
- Land first 4000 Open Land second rate. Timber W. Oak, Sycamore, Spruce & Beech - Unqth. P. Ash, Spruce & Beech. Last 39.50 Land 2nd Rate. Timber W. Oak & Beech Unqth. Beech & Ironb.

- N. 89.31 W. Established a Line betw. Sec. 14 & 23
- 39.75 Set 2nd Sec. post p. wh.

205.

T. 25 N. R. 3 E. 2nd Mer. Indiana,

cho. lks.

a W. Beech 12 in. diam. @ \$738.39 lks. x
 a G. Ash 18 " " " \$750.95 "
 56.72 a Beech 20 " "
 71.00 a Do 10 " "
 79.50 to Sec. Cor.

North Between Sections 14 & 15 - Var. 5° 30' E.

1.00 Road bars S. E.
 23.50 a G. Ash 12 in. diam.
 25.00 County Road bars E. & W.
 30.90 a Beech 20 in. diam.
 140.00 Set 2nd Sec. post prob.
 a W. Oak 30 in. diam. @ \$716.24 lks. dis.
 an Iron 8 " " " \$67.14 " "
 40.50 a Branch 8 lks. wide ce. \$30 lks.
 50.86 a Beech 24 in. diam.
 73.05 a Do 8 " "
 80.00 Set post Cor. to Sec. 10. 11. 14. 15 prob.
 a Beech 20 in. diam. @ \$790.36 lks. dis.
 a Do 8 " " " \$556.19 " "

Land Open Soil good second
 rate - Timber W. Oak, Poplar, Sugar, and
 Beech - Land last year greatly
 rolling second rate Tim. W. Oak, G. Ash,
 & Beech, principally

Note by Surveyor - Var. inch and on N. & S. Line
 Dec. 22, 1846

N. 89° 31' E. On Random Bet^h Sec. 11 & 14 Var. 5° 10' E.
 10.00 Low wet Land - water from 6 to 18 in. deep
 40.00 Set Temp^y. post
 70.00 Dry Level Land
 75.00 a Branch 6 lks. wide ce. S. W.
 79.80 Interrupted N. & S. Line 16 lks. S. of post
 Land fine 10.00 land second rate
 Timber W. Oak, Ash & Beech - Set 6000 wet and

T. 25 N. R. 3 E. 2nd Mer. Indiana.
Ab. lks.

poor. - Timber Soft. Ash. Maple & Beech.
Last 9.80 rolling second rate -
Timber W. Oak. Ash. Poplar & Beech.
Wright. Spruce & Beech.

189.27 W. Established Line Betw. Sec. 11 & 14
17.00 a Soft. Ash 10 in. diam.
28.50 a Maple 8 " "
39.90 Set 2nd Sec. just p. wh.
a Soft. Oak 8 in. diam. to N. 11 W. 26 lks.
a Beech - " " " N 73 E. 27 "
48.15 an S. Ash 20 " "
68.70 a Beech 20 " "
79.80 to Sec. Cor.

North Betw. sections 10 & 11 Var. 5.30 E.
11.50 a Branch 8 lks. wide cor. S. W.
15.08 a Beech 12 in. diam.
26.50 a Sugar 24 " "
40.00 Set 2nd Sec. just p. wh.
a Poplar 12 in. diam. to N. 62 E. 27 lks. &
an Iron. 8 " " " 4.57 W. 8 "
54.90 a Beech 18 " "
67.45 a W. Oak 24 " "
80.00 Set just Cor. to Sec. 2, 3, 10, 11 p. wh.
a Soft. Ash 8 in. diam. N. 57 W. 24 lks. &
a Hick. 8 " " " 1.34 W. 19 "

Land first 4000 Open Land
second rate - Timber W. Oak. Ash.
Poplar & Beech - Wet Land
Commences at 2nd Sec. just

Last 4000 inclined to be wet
third rate - Timber Ash. Maple. Spruce.
Poplar & Beech - Wright Spruce & Iron.

189.31 E. On Random Betw. Sec. 2 & 11 Var. 5.10 E.

T. 25 N. R. 3 E. 2nd Mer. Indiana,
ch. 16.

21.00 Marshy Land extends N. & S. standing
water from 1 to 2 feet deep
40.00 Set Temp. 7. post
61.00 Clear Marshy Land
78.00 Interrupted N. & S. Line 1.00 S. of post
Land first 21.00 with land 2nd
rate - next 40.00 Swamp. Last 17.00
Level second rate - Timber W. Oak. Beech.
Elm. Lym. Poplar. Sycamore. Swamp -
Ash. & Maple -

4.89 W. Established Line Betw. Sec. 2 & 11
11.13 a Beech 24 in. diam.
28.36 an S. Ash. 12 " "
37.00 a R. Oak 30 " "
Set 2nd Sec. post p. 10th.
a W. Elm 20 in. diam. to 189 ft. 11.37 ch. &
a Do 12 " " " 12 E. 4 "
59.00 a Maple 18 " "
78.00 to Sec. Cor.

Note - Could not find out the cause of the
attraction in running the last North &
East Lines - If in the Marsh it must
be some depth beneath the Surface -

North Between Sections 2 & 3 Van. 6th E.
21.00 a Slue or Outlet fr. Sup. to W. 200 wide
39.00 Marsh or Willow & Maple Pond extends E & W
40.00 Set Temp. 7. post
56.00 Clear Marsh or Pond
76.00 a Maple Pond
79.29 Interrupted N. Boundary 2.28 E. of post Cor.
to Sec. 34 & 35 T. 26 N. R. 3 E.
Land S. of Marsh Level 2nd
rate Tim. W. Oak & Beech. N. of Marshes Level
post 2nd rate - Timber Lym. Sycamore

208.

T. 25 N. R. 3 E. 2nd Mer. Indiana.
 chs. lks.
 and Maple East 3.29 poor

1.136 E. Established Line betw. Sec. 2 & 3

13.00 a Maple 20 in diam.

31.00 a Beech 12 " "

39.29 Set 2nd Sec. post p. wh.

an S. Elm 8 in diam. b. 134 W. 10 lks. &

a Do 10 " " " 184 E. 8 "

79.29 to Sec. Co. Dec. 23. 1846

* Note Witness to 2 & 3

a Sup. Ash 8 in diam. b. 152 W. 15 lks. &

a Do 10 " " " 184 E. 39 "

North Peter's Section 33 & 34. Var. 450 E.

10.80 a Buckeye 12 in diam.

18.00 a Branch 8 lks. wide co. N.W.

20.57 a W. Oak 36 in diam.

33.69 a Sugar 24 " "

40.00 Set 2nd Sec. post p. wh.

a Sugar 20 in diam. b. 18 W. 14 lks. &

a Beech 12 " " " 184 E. 25 "

50.70 a Do 12 " "

56.00 a Branch 8 lks. wide co. E.

65.00 a Road cross E. to Improvement

69.54 a Beech 20 in diam.

80.00 Set post Co. to Sec. 27, 28, 33, 34 p. wh.

a Beech 18 in diam. b. 144 W. 16 lks. dir.

a Do 12 " " " 144 W. 35 " "

Land first 4000 lvs. good
 second rate. Timber W. Oak, Ly. m. Sugar,
 & Beech - W. m. m. & Beech

Last 4000 Rolling second rate
 Timber W. Oak, Ly. m. G. Ash & Beech
 Undergrowth as before

189.40 E. On Randolph Peter's Sec. 27 & 34 Var. 440 E.

T. 25 N. R. 3 E. 2nd Mer. Indiana 209.

chs. lks.

- N. 89.40 E. On Random Betw. Secs. 27 & 34. Var. 4.40 E.
 8.50 W. Boundary of David Fleming Improvement
 Contains 20 Acres. See line paper through N.
 part of imp't. - Double Log House S. of line
 21.50 Clear Improvement
 28.00 S. Fork of Big Deer Creek
 28.75 Clear Deer Creek co. North
 40.00 Sel. 1st & 2nd Sec. for
 73.00 a Windfall bars S. 10 E.
 79.78 Interrupted N. & S. Line 20 lks. N. of post
 Land rolling gently, fine 4000-
 second rate - Timber W. Oak & Beech.
 principally - Undergrowth. Scattering
 East Side Broken 2nd Rate -
 Timber all Sugar & Beech - Undergrowth
 as before -

- N. 89.49 W. Established Line Betw. Secs. 27 & 34
 21.32 a Beech 12 in. diam.
 39.89 Sel. 2nd Sec. for pr. wh.
 a Beech 14 in. diam. N. 42 1/2 E. 37 lks. &
 a Do 12 " " " 46 1/2 W. 15 "
 79.98 to Sec. Cor.

- North Between Sections 27 & 28 Var. 4.50 E.
 12.93 a Beech 12 in. diam.
 15.00 Windfall bars S. 15 E.
 18.00 Ascend of Hill Elev. 20. 100 feet
 26.50 S. Fork of Big Deer Creek co. West
 Low Bank slow current
 27.25 Clear Deer Creek
 31.50 Clear Windfall
 36.00 Road bars S. 60 E. Vacated
 40.00 Sel. 2nd Sec. for pr. wh.
 a Beech 20 in. diam. N. 88 1/2 W. 28 lks. &
 a G. Ash 24 " " " 56 E. 10 "

210.

T. 25 N. R. 3 E. Mer. Indiana.

Chs. Mts.

55.00 Clear wt. Land
 60.17 a Beech 18 in. diam.
 70.58 a Do 20 " "
 80.00 Set post Cor. to Sec. 21, 22, 27, 28 p. wh.
 a Beech 10 in. diam. to N. 77° E. 22 lks.
 a Do 12 " " " N. 67° E. 33 "
 Land first 40.00 rolling
 good second rate - Timber Oak & Beech.
 principally - No Undergrowth Next
 15.00 rolling second Rate - Land 30.00
 Low & wt. third rate - Timber Beech.
 Hickory, Syc. Ash & Elm. Undergrowth
 Spice W. Beech & Ironwood

N. 89° 49' 6". On Random Betw. Sec. 22 & 27 Var. 4.40' E.

35.00 a Windfall trees S. E.
 40.00 Set Temp. post
 54.00 Clear Windfall
 55.10 Clear wt. Land
 79.82 Interrupted N. & S. Line at post
 Land first 55.00 wt
 third rate. Timber that is standing
 W. Oak & Beech. - Last 25.00 Land 2nd Rate
 W. Oak, Ash, Poplar & Beech. - Undergrowth
 W. Beech, Spice & P. Ash -

N. 89° 49' 11". Established Line betw. Sec. 22 & 27.

21.00 a Beech 12 in. diam.
 39.91 Set 2nd Sec. post p. wh.
 a Beech 6 in. diam. to N. 66° E. 3 lks. as.
 " Do 4 " " " S. 51° E. 13. " "
 51.00 a Poplar 18 " "
 73.00 a Beech 12 " "
 79.82 to Sec. Cor.)

North Between Sections 21 & 22 Var. 4.50' E.

T. 25 N. R. 3 E 2nd Mer. Indiana.

211.

ch. lks.

- 3.50 a Hickory elm 40 in. diam.
 26.00 a Beech 24 " "
 35.00 a Branch 6 lks. wide co. N.W. & S. Land
 40.00 Set 2nd Sec. just p. wh.
 a Beech 12 in. diam. to 4 1/2 E. 15 lks. &
 a Do 6 " " " N. 70 W. 10 "
 51.14 a Do 20 " "
 56.00 Windfall near S. E.
 65.00 Near Windfall
 69.00 North Fork of Big Bear Creek co. W.
 69.70 Near N. Fork
 80.00 Set for Cor. to Sec. 15, 16, 21, 22 p. wh.
 a Blue Ash 12 in. diam. to 138 1/2 W. 54 lks. &
 a Pop. Ash 12 " " " 92 1/2 E. 43 "

Land firm 26.00 Set Second
 rate - Timber W. Oak, Gum, & Beech -
 Undgth. Spice & Beech - N. E. 14.00
 gently rolling - Last 4000 rolling
 first rate - Timber Walnut, Poplar, Ash
 & Beech - Undgth. Spice

- 89.496 On Random Betw. Sec. 15 & 22 Var. 4.40 E.
 31.50 N. Fork of Bear Creek co. South
 32.25 Near Creek
 34.50 N. Fork again co. N.W.
 35.50 Near Creek
 40.00 Set Temp. just
 44.50 Bear Creek again co. S. 70 W.
 45.50 Near Creek
 69.50 Creek again near N.W.
 70.25 Near Creek
 73.00 Creek again co. South
 74.00 Near Creek
 77.50 Creek again co. North
 78.25 Near Creek
 80.50 Interrupted N. S. line of lks. S. of first

T. 25 N. R. 3 E. 2nd Mer. Indiana.
cls. lks.

The Banks of the Creek throughout
this 8.00 are Low

Land fine 31.50 gently rolling
good second rate - Last 149.00 Low
good second rate - Timber W. Oak,
H. Ash, Lym., & Beech

489.45th Establish a Line Betwⁿ Secs. 15 & 22 -

15.00 a Maple 20 in. diam.

32.07 a Beech 12 " "

40.25 Set 2nd Sec. for p. wh.

a Buckeye 10 in. diam. N. 32 E. 17 lks. &

an S. Ash 18 " " " 40 E. 14 "

61.33 a Beech 12 " "

80.50 to Sec. Cor.

North Between Sections 15 & 16 Var. 4.35' E.

3.00 Open Woods

18.76 a Beech 18 in. diam.

26.50 a Do 12 " "

27.50 a Road cross E. & W.

40.00 Set 2nd Sec. for p. wh.

a Beech 10 in. diam. S. South 7 lks. &

a Hickory 18 " " " N 34 E. 25 "

51.00 South end of Beaver Dam -

53.50 Outlet from Pond E. of Beaver Dam -

55.00 Leave Beaver Dam to N.W.

59.00 Outlet from Marsh Prairie 16 lks. wide
cross N.W. with Beaver Dam -

60.00 Marsh Prairie extends East

70.00 Leave Marsh Prairie

71.00 a Lym 12 in. diam.

80.00 Set for Cor. to Secs. 15, 16, 21, 22 p. wh.

a Buckeye 10 in. diam. N 60 W. 13 lks. &

a R. Elm 6 " " " 51 E. 9 "

From 2.4000. rolling good second

T. 25 N. R. 3 E. 2nd Mer. Indiana.
ch. lks.

rate - Timber W. Oak, Poplar, & Beech.
Last 4000 Open - First 20 on last
4000 Last 2nd rate - Marsh Prairie 3rd
rate soil - Last 1000 gently rolling
first rate Land - Timber Walnut,
Buckeye, Beech & Poplar.

N. 89 45 E. On Random Butte. Sec 10 & 15 T. 45 S. E. 5
4000 Set Temp. for 2

70.50 a Branch 8 lks. wide to N.W. to Marsh Prairie

80.03 Intersected N. & S. Line 25 lks. S. of post

Land first 4000 gently rolling
first rate - Timber W. Oak, G. Ash, Poplar,
Walnut & Beech

Last 4000 Last 2nd Rate - Timber
Poplar, Lymf & Beech, principally
Wingth, Spruce & Beech

1893 1/2 Established Line Butte Sec. 10 & 15

18.10 a Beech 12 in. diam.

37.08 a Do 18 " "

40.01 Set 2nd Sec. post for wh.

a Beech 12 in. diam. to N 77 E. 5 lks. x

a R. Elm 6 " " " N 78 W. 5 " "

51.18 a Beech 12 " "

61.50 a Lymf 20 " "

80.03 to Sec. Cor. Dec. 24. 1846

North Between Sections 9 & 10 T. 45 S. E.

10.00 S. Side of Cornfield. Belongs to J. A. Bell
Contains 5 acres. Sec. Line runs through
middle of field

16.50 Clear Cornfield

27.43 a W. Oak 24 in. diam.

40.00 Set 2nd Sec. post for wh.

an Ironwood 8 in. diam. to N 78 E. 20 lks. x

T. 25 N. R. 3 E. 2nd Mer. Indiana.

Chs. lks.

a W. Oak 16 in. diam. to N. 59 W. 54 lks. &
 41.30 a Do 36 " "
 46.66 a Hickory 12 " "
 51.00 Come to 2nd Rate Land
 64.06 a Poplar 40 in. diam.
 64.50 Maple & Willow Swamp
 72.00 Clear Swamp
 80.00 Set post Cor. to Sec. 3, 4, 9, 10 p. wh.
 a Hickory 8 in. diam. to N. 48 W. 23 lks. &
 a Do 18 " " " N. 32 E. 25 "
 Land first 40.00 gently rolling
 first rate - Timber W. Oak, Beech, Walnuts,
 Poplar & Sym. Magn. Spruce, Ironw. & Beech.
 First 10.00 of Last 40.00 Level first
 rate - Timber as before - Next 13.00 Level
 second rate - Timber Oak, Beech & Sugar
 Land in Swamp, poor - Last 8.00
 Low level Land - Timber R. Elm, Hickory
 & Beech, principally - Undergrowth
 Spruce, P. Ash & Beech.

N. 89.37 E. Cr. Random Betw. Sec. 3 & 10 Var. 4.40 E.
 21.00 Wet Land
 40.00 Set Temp. post
 79.50 Intersected N. 4. Line 4 lks. N. of post
 Land first 21.00 Level 2nd Rate
 Last 19.00 wet, poor. Timber Elm
 Maple & Beech - principally
 Last 39.50 Open wet third rate -
 Timber Spr. Elm, Ash, Maple & Beech.

N. 89.35 W. Established Line Betw. Sec. 3 & 10
 19.00 a Swamp Elm 12 in. diam.
 30.19 an S. Ash 18 " "
 39.75 a R. Oak 10 in. diam. to S. 71 E. 24 lks. &
 a Maple 20 " " N. 1/2 E. 23 "

215.

T. 25 N. R. 3 E. 2nd Mer. Indiana,

Chs. W.

49.48 a Beech 12 in. diam.
 62.09 a Do 18 " "
 79.50 to Sec. Cor.

North Between Sections 3 & 4 Var. 5th E.

9.00 Beaver Hamm bars N. 10 W.
 10.00 Outlet through dome bars W.
 12.50 Clear Beaver Hamm.
 13.00 Rolling Land
 25.00 Willow Pond bars E & W.
 27.00 Clear Do
 40.00 Sel. Ferns, y. soil
 43.00 3.00 E. - W. end of Large Willow Pond
 44.00 E. end of Willow Pond
 46.50 Clear Pond - connects with the one East
 79.04 Intersected N. Boundary, 54 lbs. E. of foot
 Cor. to Sec. 33 & 34 T. 26 N. R. 3 E.

Leave first 13.00 second rate -
 Timber W. Oak & Beech. Next 25.00 gently
 rolling good second rate - Tim. W. Oak, Poplar,
 & Beech - Land in ponds poor - Very th.
 Spruce & Beech - Last 40.00 Good 2nd
 rate - Timber W. Oak & Beech. - Very th.
 as before -

T. 23 E Established Line Betw. Sec. 3 & 4
 a Beech 20 in. diam. N. 74 E. 10 lbs. &
 a Do 12 " " " " 29 lbs. 18 "
 20.08 a W. Oak 20 " "
 39.04 Sel. 2nd Sec. foot p. wh.
 a Maple 20 in. diam. N. 72 W. 4 lbs. &
 a Do 10 " " " " 24 lbs. 16 "
 58.31 a Beech 20 " "
 71.00 a Sycamore 20 " "
 79.04 to Sec. Cor.

T. 25 N. R. 3 E. 2nd Mer. Indiana

chs. lks.

- North Between Sections 32 & 33. Var. 435' E.
 16.00 South side of Major Bells Improv^t
 Lies principally W. of Sec. Line
 26.00 Leave Improvement of Marsh
 30.00 Willow Pond bars E. & W.
 39.50 Leave Pond
 40.00 Set 2nd Sec. post p.u.h.
 a Pop. Elm 20 in. diam. T. 88 E. 23 lks.
 a Beech 12 " " N. 84 W. 14 "
 52.00 Isaac Thomas Farm -
 58.00 West 3.00 Log House
 63.00 Lane through Farm bars E. & W.
 75.00 Leave Farm
 80.00 Set post cor. to Secs. 28, 29, 32, 33 p.u.h.
 a Beech 12 in. diam. P. N. 70 E. 37 lks.
 a Do 10 " " " T. 30 E. 28 "
 Lane first 26.00 Marsh Prairie
 second rate Land - Next 4.00 Live -
 Open Land. Clay soil - Third rate -
 Last 40.00 Live & Open in Woods
 second rate Timber W. Oak, Ash &
 Beech principally

- N. 89 40' E. On Random Petition Secs. 28 & 33 Var. 215 1/2' E.
 23.00 a Fence W. side of H. Fickles enclosure
 extends N. to Creek
 40.00 Set Temp. 9. post
 42.00 Leave Enclosure
 45.00 3.00 South J. Askas' improvement
 contains 5. acres & a wood Log House
 46.00 a Road bars N. 70 E.
 62.00 Road again bars N. 50 E.
 79.47 Intersected N. 4. Line at post
 Land first 40.00 generally
 rolling. first rate - Timber Walnut
 Poplar, Sugar, & Beech. - Ample.

T. 25 N. R. 3 E. 2nd Mer. Indiana,
chs. lks.

Spice Scattering

Last 39.47 Lumber first rate
Timber & Undergrowth as before -

189.40 W. Established Line Between Sec. 28 & 33
20.18 a Beech 12 in. diam.
33.81 a Lym 13 " "
39.73 Set 2nd Sec. post from wh.
a W. Elm 40 in. diam. $\frac{1}{2}$ lb. 17 lbs.
a Beech 8 " " $\frac{1}{2}$ lb. 8 "
79.47 to Sec. Cor.

North Between Sections 28 & 29 Var. 435' E.
9.31 a Beech 30 in. diam.
14.14 a Ho 24 " "
15.00 Gradual descent of ground N. E. low 10°
16.00 Level Land
26.50 South Fork of Big Deer Creek co. W.
Low Bank Now Current
27.00 Near S. Fork - Low Bottom Land
to foot of Hill - subject to inundation
32.00 Ascent of Hill E. low 30°
33.50 Summit of Ho.
40.00 Set 2nd Sec. post from wh.
a Beech 12 in. diam. N. 69° W. 15 lbs.
a Ho 18 " " N. 7° E. 23 "
46.00 Small Branch 3 lks. wide co. S. W.
57.00 Road bars E. & W.
62.09 a Beech 20 in. diam.
75.65 a Ho 18 " "
80.00 Set post Cor. to Sec. 20, 21, 28, 29 from wh.
a Beech 24 in. diam. $\frac{1}{2}$ lb. 8 lbs.
a Hogwood 8 " " $\frac{1}{2}$ lb. 20 "
Land first 16.00 rolling open
first rate Timber W. Oak, Poplar, Walnut,
& Beech, - Next 16.00 Low level Bottom Land,

218. T. 25 N. R. 3 E. 2nd Mer Indiana,
chs. lks

rich soil Timber Hackling, Buckeye
Wycamore, - Next 47.00 Lure second
rate Timber W. Oak, Sugar, Lymn,
Hick^y & Beech. Undergrowth Spruce
and Beech -

189406 On Random Butte⁴ Sec. 21. & 28. Var. 435' E.

15.00 a Willow Pond bars N.W.

16.00 Lure No

37.00 a Road bars S. E.

39.00 a Windfall bars S. 10 E.

40.00 1st Temp^y post

59.00 Lure Windfall

63.00 Wet Land

66.00 Road from Logansport to Big Deer
Creek -

79.43 Intersected N. & S. line 10 lks. N. of post

Land first 10.00 & Next 24.00
in first 2nd Lure incline to be wet,
second rate Timber Red Elm, Hick^y,
and Beech. Last 39.43 first 23.00

Lure second rate Timber small
growth of Beech, Buckeye, Lymn., and
Hick^y. - Last 16.43 wet poor. Timber
Sup. Ash, Elm, Beech & Maple -

189446 Established Line Butte⁴ Sec. 21. & 28

21.00 a Beech 10 in. diam.

39.71 1st 2nd Sec. post p.m.b.

a Buckeye 6 in. diam. P. N. 6 1/2 E. 7 lks. dis.

a Beech 6 " " " 28 W. 28 " "

68.53 a Lymn - 18 " "

79.43 to Sec. Cor. Sept. 25. 1846.

North Return Section 20 & 21 Var. 435' E.

7.00 a Willow Pond bars E. & W.

219.

T25 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

- 9.00 Clear Willow Pond
 18.57 a Beech 24 in. diam.
 33.00 a Do 12 " "
 40.00 1st 2nd Sec. first pr. wh.
 a Walnut 36 in. diam. B. 4th 15 lks. do.
 a Buckeye 8 " " " N. 43 E. 5 " "
 49.00 S. E. Cor. of Peter instruments
 contains 10 Acre - Geo W. Log - House
 60.00 Clear N. E. Cor. of Instrument
 64.50 North Fork of Big Deer Creek co. West
 Low Banks -
 65.00 Clear Creek
 73.90 a R. Oak 24 in. diam.
 76.50 S. E. Cor. of Henry Bickels Clearing
 Sec. Line runs down along E. Boundary.
 80.00 1st part Cor. to Sec. 16. 17. 20. 21 pr. wh.
 a Beech 18 in. diam. B. N. 55 E. 1.09 do.
 a Do 10 " " " N. 75 E. 89 "
 Land first 40.00 gently rolling
 first rate - Timber Walnut, Poplar,
 Sugar & Beech. - Under - Sugar & Beech -
 In second half - Land South
 of Creek, first rate Timber as before -
 North of Creek gently rolling 2nd Rate -
 W. Oak, Ash & Beech. - Under - Sugar & Beech -

-
- N. 89.44 E. On Random Betw^{en} Sec. 16 & 21. Var. 4.5 E.
 20 Clear Clearing
 12.50 a Branch 6 lks. wide co. S. 20 E.
 39.50 a Do 3 " " " South.
 40.00 1st Temp. first
 53.50 a Branch 8 lks. wide co. S. W.
 54.00 a Road cross N. E. S.
 56.50 W. Side of Cornfield belonging to John
 Buckle - Contains 12 Acres
 64.50 Clear field - Lies mostly N. of Line

220.

T. 25 N. R. 3 E. 2nd Mer. Indiana.
ch. lks.

78.80 Intersected N. & S. Line 50 lks. N. of post
Land fine 4000 Lure second
rate - Timber W. Oak, G. Ash, & Beech.
Length. Beech Spruce & Ironwood
Last 4000 gently rolling good
second rate - Timber R. Elm, Oak, and
principally Beech - Length. as before

N. 89.55 W. Established line bet. Sec. 16 & 21

10.18 a Beech 18 in. diam.

39.40 S. E. 2nd Sec. for p. w. h.

a Beech 18 in. diam. N. 17 E. 31 lks. dis.

a Sugar 8 " " " N. 42 W. 11 " "

65.10 a Lyeum 18 " - "

78.80 to Sec. Cor.

North Between Section 16 & 17 Var. S. 30 E.

6.25 Near N. E. Cor. of Clearing -

15.58 a Beech 18 in. diam.

26.00 a Do 14 " "

35.13 a G. Ash 10 " "

40.00 S. E. 2nd Sec. for p. w. h.

a Blue Ash 10 in. diam. N. 17 E. 9 lks. x

a Cherry 8 " " " N. 76 W. 18 "

46.50 S. E. End of Beaver Dam

48.35 a G. Ash 12 in. diam.

57.00 W. End of Willow Swamp. Connects with
Large Marsh Prairie East.

53.50 Near Willow Pond

58.00 a Red Oak 12 in. diam.

73.70 a G. Ash 20 " "

80.00 S. E. for Cor. to Sec. 8, 9, 16, 17. p. w. h.

a Beech 20 in. diam. N. 18 W. 20 lks. x

a Do 18 " " " N. 89 E. 40 "

Land here good second rate -
Timber. W. Oak, G. Ash, Sycamore, Poplar,

1.25 N. R. 3 E. 2nd Mer. Indiana
chs. lks.

ana Beech. Wngth. Spice & Beech.
Last 40 to 50 y. N. & S. of Pond
Lure second rate Timber Oak. Elm
& Beech principally

489.55' E On Random Betwth Secs. 9 & 16 Var. 4.55' E.
8.00 County Road from Logansport to Big
Hick Creek bears N. 15 E.
29.00 Marsh Prairie
40.00 Set Temp. post
51.50 Clear Marsh Prairie
51.75 William Bell's Cornfield
60.25 Clear Cornfield
61.00 Road N. W.
79.60 Interrupted N. & S. Line 11 lks. N. of post
Land first 29.00 Open Land
2nd Rate - Timber W. Oak. Gum. & Beech.
Next 21.00 Marsh Prairie water pond
1 to 2 ft deep - second half first
11.00 Marsh Prairie Last 28.10' Lure
second rate - Timber W. Oak. Beech.
Gum & G. Ash. Wngth. - Spice
Gronwood & Beech.

West Established Line Betwth Secs. 9 & 16
14.20 a Beech 20 in. diam.
39.80 Set 2nd Sec. post p. w. h.
a Willow 8 in. diam. N. 10 E. 18 lks. &
a Do 6 " " " N. 18 W. 14 "
61.19 a Beech 20 " "
79.60 to Sec. Cor.

North Betwth Sections 8 & 9 Var. 5.50' E.
9.00 County Road from Logansport to Big
Hick Creek bears S. 25 E.
17.37 a Hickory 18 in. diam.

T. 25 N. R. 3 E. 2nd Mer. Indiana.

ch. lks.

35.61 a Beech 20 in diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 18 in. diam. to 41 E. 30 lks. &

an Ironw. 8 " " " N. 5 E. 15 "

51.24 a Beech 12 " "

61.68 a W. Elm 24 " "

70.67 a Beech 24 " "

80.00 Set post Co. to Sec 4, 5, 8, 9 p. wh.

a Beech 24 in. diam. to 41 1/2 W. 20 lks.

an Ironw. 8 " " " N. 33 1/2 E. 25 "

Land from 40.00 level second
rate - timber Poplar, Ash & Beech

Wingth. Ironw. & Beech

Last 40.00 level inclined to
level second rate - timber Sycam.
W. Oak & Beech. Wingth. as before

East On Random Bata. Sec. 4 & 9 Var. 45.5 E.

14.00 Pass N. end of Large Bush Swamp

35.00 Pass S. End of Large Bush Swamp
Extends Northward in Sec. 4.

40.00 Set Temp. post

75.00 a Road cross N. & S.

80.00 Intersectia. N. & S. line at post

Land throughout this 80.00
Open level. Timber W. Oak, Ash,
Elm, Sycam., Sycm. W. Beech.
Wingth. Spice scattering

West Established Line bta. Sec. 4 & 9

10.56 a Beech 12 in. diam.

30.18 a Sycm. 18 " "

40.00 Set 2nd Sec. post p. wh.

a Sup. Elm 10 in. diam. to N. 4 E. 9 lks.

a G. Oak 8 " " " N. 13 E. 43 "

Inclined to level second rate

T. 25 N. R. 3 E. 2nd Mer. Indiana

ch. lks.

61.52 a Beech 12 in. diam.
70.18 a G. Ash 18 " "
80.00 to Sec. Cor.

North Between Sections 4 & 5 Random Mar. 5th E.

40.00 1st Temp. post
45.00 Rolling Land
53.00 a Road bars N. W.
79.08 Intersected N. Bouncey 35 lks. W. of post
Land first 45.00 Open Land
second rate Timber. W. Oak, Beech
Elm & Syc. Undergrowth - Spice & Beech.
Last 34.08 gently rolling
good second rate Timber W. Oak,
Poplar, G. Ash & Beech - Undergrowth
Spice, Ironw. & Beech.

9.15th Established Line Betw. Sec. 4 & 5.

18.75 a Poplar 24 in. diam. { Beech 8 lks. 28 lks.
31.00 a Beech 12 " " { do 12 lks. 23 "
39.08 1st 2nd Sec. post pr. wh.
a Poplar 18 in. diam. to N. 13 W. 18 lks. dis.
a R. Oak 20 " " " 477 W. 24 " "
61.00 a Poplar 3 " "
70.18 a Beech 20 " "
79.08 to Sec. Cor. Dec. 26, 1846.

North Between Sections 31 & 32 Mar. 4th 35th E.

9.67 a Sycamore 30 in. diam.
33.13 a do 24 " "
40.00 1st 2nd Sec. post pr. wh.
a Beech 18 in. diam. to N. 35 E. 10 lks. dis.
a do 12 " " " 432 W. 17 " "
50.17 a do 10 " "
59.36 a R. Elm 20 " "
73.34 a Beech 12 " "

25 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

74.00 Outlet from Marsh Prairie
 74.25 Leave Outlet course West
 80.00 Set post cor. to Sec 29. 30. 31. 32. p. wh.
 a Beech 12 in. diam. 42 E. 21 lks. &
 a No 8 " " 480 W. 5 "

Land from 40.00 Open Land
 and wet clay soil - Thin rate
 Timber Hickory Sycamore, Lyrus
 and Beech.

Last 40.00 Open wet Land
 incline to be wet. Thin rate
 Timber W. Oak, Sycamore, Beech,
 and Lyrus.

N. 89.40 E. On Random Butte Sec. 29 & 32. Var. 4.55 E.

8.00 Outlet from Marsh Prairie
 8.50 Leave Outlet co. 9.50 W.
 12.00 Outlet again N.W.
 12.50 Leave Outlet
 35.00 Gently rolling Land
 40.00 Set Temp. post
 48.50 a Willow Pond
 51.00 Leave Pond
 53.00 a Road bars North
 68.50 Outlet from Marsh Prairie 20. co. N
 80.10 Intersection of S. line 78 lks. S. of post

Land from 35.00 Land 2nd
 Rate Timber W. Oak, Ash, & Beech,
 principally

Last 45.00 Gently rolling
 good second rate - Timber W. Oak,
 Poplar, Sugar, & Beech

89.00 W Established Line Butte Sec 29 & 32.

8.50 a Beech 12 in. diam
 21.50 a No 18 " " "

T. 25 N. R. 3 E. 2nd Mer. Indiana,
Ch. M.

40.05 Set 2nd Sec. post p. wh.
a Gum 30 in. diam. @ 4.50 W. 4 lbs. d. d.
a Walnut 20 " " " N. 59 E. 11 " "
61.17 a Beech 24 " "
70.15 a Gum 12 " "
80.10 to Sec. Cor.

889.40 W. On Random Betw. Sec. 30 & 31 Var. 4.55' E.

17.00 Low wet Land or Swamp.

30.00 Clear wet Land S. of Line

40.00 Set Temp. post

65.00 1.00 S. Outlet from Prairie

83.28 Interrupted W. Boundary, at post, in Outlet
Cor. to Sec. 25 & 36, T. 25 N. R. 2 E.

Same first 17.00 Low second
rate. Next 13.00 wet Prairie. Next 10.00
Low good second rate. Timber Sugar,
Ash, W. Oak, Beech & Poplar. Undergrowth,
Spice & Ironwood.

Last 43.28 Open Line good
second rate. Timber Sugar, Beech,
Poplar & Ash. Undergrowth, Spice. Scattering
a G. Oak 8 in. diam. N. 63 1/2 E. 25 - 40.6 4 1/2 E. 28.

889.40 E. Established Line betw. Sec. 30 & 31

* 43.20 a Beech 18 in. diam.

38.00 a Sycamore 30 " "

43.28 Set 2nd Sec. post p. wh.

a W. Oak 20 in. diam. @ 4.32 W. 17 lbs. &

a Beech 8 " " " 4.52 E. 25 "

62.00 a Do 24 " "

83.28 to Sec. Cor.

North Return Section 29 & 30 Var. 4.35' E.

8.55 a Beech 12 in. diam

34.89 a W. Oak 36 " "

40.00 Set 2nd Sec. post p. wh.

T. 25 N. R. 3 E. 2nd Mer. Indiana,
chs. lks.

- a Beech 18 in. diam. V. 73 E. 9 lks. &
a Do 14 " " " N. 7 1/2 W. 11 "
- 40.63 a Poplar 36 " "
- 49.80 a Sugar 30 " "
- 63.00 State Road b. & W. Michigan Road
to Moscow only cut out a short distance
- 65.00 Land Descends N. Elev. 5 1/4
- 68.00 Level Land
- 80.00 Set post Cor. to Secs. 19, 20, 29, 30 pr. wh.
a Beech 14 in. diam. V. 94 1/2 W. 23 lks.
a W. Oak 18 " " " 4.5 E. 12
- Land first 4000 level 2nd
rate - Timber W. Oak, Elm & Beech -
Undgth. Spruce Beech & Ironw^d.
Last 4000 gently rolling
good second rate Timber Walnut,
Beech, W. Oak, Sugar & Poplar
Undgth. P. Oak, Spruce & Beech

- 89.07 1/2 On Random Betw. Secs. 20 & 29. Var 4 1/2 E.
- 4.00 a Road cross N. & S.
- 16.00 W. Side of David Kemps improv^d
Contains 18 Aers. Sec. Line passes
through Center -
- 21.50 Land Improvement Road b. South
- 29.00 South Fork of Big Deer Creek, 50 lks.
- 38.00 W. Side of Ings. Improvement
- 40.00 Set Post, post
- 42.00 a Gradual Ascent of Land
- 47.50 Land Improvement
- 80.10 Intersected N. & S. Line 10 lks. N. of post
Land first 4000 level 2nd
rate - Timber W. Oak, Elm & Beech
principally - Undgth. Spruce & Beech
Last 4000 gently rolling
first rate - Tim. W. Oak, Poplar.

227.

T. 25 N. R. 3 E. 2^{1/4} Mer. Indiana.

chs. lks.

Walnut & Beech - Mgt. Springfield Beech.

189.11 M. Established Line Betw² Secs. 20 & 29

21.00 a Beech 12 in. diam.

40.05 Set 2^d Sec. post p. wh.

a Cherry 8 in. diam. to N. 28^{1/2} W. 76 lks. &

a Sugar 24 " " " N. 88^{1/2} W. 273 "

59.30 a Beech 18 " "

80.10 to Sec. Cor.

189.40 On Random Betw² Secs. 19 & 30 Var. 45⁵ E.

32.00 a Large Maple Swamp.

53.00 Same do

81.64 Intersected W. Boundary. 50 lks. N. of first
Cor. to Secs. 24 & 25 - T. 25 N. R. 2 E.

Land first 32.00 Land good
second rate - Timber W. Oak & Beech,
Poplar and Walnut.

Land in Maple Swamp
poor - water from 6 in to a foot deep. - Timber
Maple. Last 27.00 Low art Land - second
rate - Timber Oak, Beech & Spruce - Mgt.
P. Ash, Spruce & Beech - Secs. 28, 18 & 16,
Beech 18 in. - 177 & 6.50 - 200.12 N. 45 E. 45.

189.176 Established Line Betw² Secs. 19 & 30

* 11.69 a Beech 12 in. diam.

30.15 a Maple 20 " "

41.64 Set 2^d Sec. post p. wh.

a Maple 10 in. diam. to N. 65 E. 4 lks. &

a do 6 " " " N. 8^{1/2} W. 7 "

57.00 a Beech 12 " "

70.18 a do 18 " "

81.64 to Sec. Cor.

North Between Sections 19 & 20 Var. 45⁵ E.

8.14 a Poplar 36 in. diam

T. 25 N. R. 3 E. 2nd Mer. Indiana

Chs. lks.

- 13.57 a Poplar 24 in. diam.
 14.00 2.50 E. - S.W. Cor. of Sprinth's Improvements - Extends East
 20.00 Sear N.W. Cor. of Improvement
 32.00 a Road bars E & W.
 33.00 a Gradual Descent Elev. 20°
 33.50 Sear descent of ground
 40.00 Set 2nd Sec. post p. wh.
 a Beech 20 in. diam. N. 19 $\frac{1}{2}$ W. 21 lks.
 a Do 12 " " N. 73 $\frac{1}{2}$ E. 65 "
 45.00 South Fork of Big Deer Creek 50 lks.
 wide course N. & W.
 48.00 Widow Spier's Farm days east
 49.00 Sec. Line paps betw. House. Large
 hewed Log House on E. side of Line
 63.00 Sear Farm. Line cuts off 2. Acres
 on West Farm. Contains 20 Acres.
 of Improvement
 64.25 a Road bars E & W.
 65.00 North Fork of Big Deer Creek 75 lks.
 wide, course N. & W.
 80.00 Set four Cor. to Sec. 17, 18, 19, 20 p. wh.
 a Beech 8 in. diam. N. 76 $\frac{1}{2}$ W. 15 lks.
 a Hickory 10 " " " N. 77 $\frac{1}{2}$ E. 25 "
 Land S. of Creek, Live good
 second rate Timber W. Oak, Poplar &
 Beech. White Spruce & Beech
 Land N. of Creek Live 2nd rate
 Timber Elm, Hickory & Beech
 White. Ironwood & Beech
-
- 189.11/6. On Random Betw. Sec. 17 & 20 var. 455 E.
 4.00 a Marsh bars N. E. & enlarge
 9.00 Sear Marsh
 12.00 Gently rolling Land
 31.50 a Branch Elk. wide c. South

T. 25 N. R. 3 E. 2nd Mer. Indiana. 229.

ch. 1/2

40.00 Set Temp. post
 48.50 a Branch 4 1/2 k. wide co. S. E.
 64.50 a Do 8 " " " S. E.
 69.00 H. Buckles Improvement
 80.09 Intersected N. & S. line 20 k. S. of post
 Land first 12.00 Land good
 second rate - Timber Poplar, Walnut,
 Beech, Cherry, Hickory & Sycamore
 Undergrowth, Spice, Ironwood & Birch

489.05 W. Established line betw. Sec. 17 & 20
 20.63 a Beech 18 in. diam.
 31.00 a Do 30 " "
 40.04 Set 2nd Sec. post p. wh.
 a Beech 20 in. diam. N. 62 W. 18 k. dis.
 a Do 20 " " " N. 10 E. 43 " "
 60.05 " Do 18 " "
 80.09 to Sec. Co.

489.40 W. On Random betw. Sec. 18 & 19, Var. 453 E.
 20.00 Small descent to Bottom Land
 34.00 1.00 South. Big Deer Creek co. W.
 40.00 Set Temp. post
 43.50 Line along N. side of Big Deer Creek,
 53.00 Intersection of Branch N. side of Creek,
 61.00 Line leaves Creek bears S. 70 W.
 80.26 Intersected W. Boundary 20 k. N. of post
 Land first 20.00 rolling second
 rate - Timber W. Oak, Elm, Hickory & Beech,
 Undergrowth, Ironwood & Birch. Last 20.00 Bottom
 Land rich soil subject to inundation
 Timber Hackberry, Buckeye, & Sycamore,
 Last 40.26 Low Bottom Land
 Timber as before

489.32 E. Established line betw. Sec. 18 & 19

T. 25 N. R. 3 E. 2nd Mer. Indiana.
 chs. lks.

- a Beech 18 in diam. b. N. 72 $\frac{1}{2}$ E. 42 lks. dis.
 a Sugar 20 " " " 43 $\frac{1}{2}$ E. 44 " "
 18.33 a Beech 12 " "
 40.26 Set 2nd Sec. post (in Creek) p. wh
 a Buckeye 8 in diam. b. N. 80 W. 18 lks. dis.
 a W. Beech 8 " " " N. 19 E. 10 " "
 63.82 a Poplar 24 " "
 80.26 to Sec. Cor.

North Return Sections 17 & 18 Var. 4.35 East

- 4.79 a Beech 12 in diam
 15.43 a Do 18 " "
 31.09 a W. Oak 18 " "
 40.00 Set 2nd Sec. post p. wh.
 a Beech 10 in diam. b. N. 39 $\frac{1}{2}$ W. 19 lks. &
 an Irono? 8 " " " N. 59 $\frac{1}{2}$ E. 18 "
 49.00 a Branch 6 lks. wide co. M. from a
 Large Swamp East

There is a Large Swamp extends
 in a N. E. direction in Sec. 17. —

- 62.74 a Hickory 12 in diam
 70.00 a Beech 24 " "
 80.00 Set post Cor. to Sec. 7, 8, 17, 18 p. wh.
 a W. Oak 20 in diam. branch 15 W. 19 lks.
 a G. Ash 12 " " " 53 $\frac{1}{2}$ W. 16 "

Land from 40.00 sure good
 second rate - Timber W. Oak, Beech &
 Poplar - undgth. Beech. Irono? & Spruce

Last 40.00 gently rolling first
 rate - Timber Oak, Beech, Poplar &
 Walnut - undgth. Spruce, P. Ash & Beech

N. 91 $\frac{1}{2}$ E. On Random Return Sec. 8 & 17 Var. 4.55 East

- 20.00 sure land
 40.00 Set Transfer post
 62.50 a Branch 6 lks. wide co. S. E. this Branch

T25 N. R. 3 E. 2nd Mer. Indiana,
ch. lks.

or Outlet comes from a Large Swamp
that lays Northward, in Sec. No. 8. as
taken by Observation

79.60 Interrupted N. 4. line 19 lks. S. of post
Lane fine 20.00 Gently rolling
fine rate - Timber Walnut, Poplar and
Beech. Next 20.00 Lane good second
rate - Timber W. Oak, Sugar & Beech.
Last 39.60 Lane fine rate Timber
Oak, Gum & Beech. Undergrowth. Spice
and Beech.

189.04 W. Established line Betw. Sec. 8 & 17

19.56 a Beech 20 in. diam.

31.18 an Elm 18 " "

39.80 Set 2nd Sec. post p. wh.

an Ironw. 8 in. diam. to S. 67¹/₂ W. 8 lks. dis.

a Sugar 18 " " " N. 12 W. 43 " "

50.86 a Beech 20 " "

66.00 a Gum 10 " "

79.60 to Sec. Cor.

189.41 W. On Random Betw. Sec. 7 & 18 Var. 4.55 E.

38.00 a Branch 8 W. wide co. S. 70 W.

40.00 Set 1st post.

41.00 Branch again co. N. W.

45.00 Branch again " S. W.

78.00 Interrupted W. Boundary at post Cor.
to Sec. 12 & 13 T25 N. R. 2 E.

Land all this mile gently
rolling fine rate - Timber W. Oak, Hicky,
Walnut, Poplar & Beech. - Undergrowth.
Spice & Beech. - Scattering -

189.40 E. Established line Betw. Sec. 7 & 18

a Beech 10 in. diam. to N. 29 E. 16 lks. &

a Hicky. 20 " " " S. 60 E. 22 "

T. 25 N. R. 3 E. 2nd Mer. Indiana,
Chs. Lk.

21.00 a Beech 12 in. diam.

29.60 a Poplar 18 " "

38.00 Set 2nd Sec. post for wh.

a Beech 18 in. diam. b. N. 53 $\frac{1}{2}$ W. 19 lks. &

a Do 8 " " " 45 $\frac{1}{2}$ E. 14 "

63.00 a Do 20 " "

78.00 to Sec. Cor. Dec^r 29. 1846.

North Return Sections 7 & 8 Var. 45 $\frac{1}{2}$ E.

14.69 a W. Oak 18 in. diam.

30.00 Old Windfall bar East

36.56 a Poplar 6 in. diam.

38.00 Near Windfall

40.00 Set 2nd Sec. post for wh.

a Beech 12 in. diam. b. N. 53 $\frac{1}{2}$ W. 25 lks.

a W. Oak " " " 2.40 $\frac{1}{2}$ W. 15 "

45.00 a Road bars West - Vacated

65.00 a Maple Swamp, bars S. W.

65.15 a Sup. Ash 18 in. diam.

80.50 Set post Cor. to Secs. 5, 6, 7 & 8 for wh.

a Sup. Ash 8 in. diam. b. N. 3 E. 15 lks. &

an Elm 30 " " " N. 20 W. 12 " "

Land first 65.00 & last first
rate - Timber W. Oak, Walnut, Poplar,
Sugar & Beech - Under the Spice
Hollow & Beech -

Last 15.00 Swamp, poor
Timber Maple, & Sup. Ash -

N. 9. 11 E. On Random Return Secs. 5 & 8 Var. 45 $\frac{1}{2}$ E.

6.00 Near Swamp

20.00 County Road from Legansport to Big
Deer Creek bars N. 25 E.

40.00 Set 2nd Sec. post for wh.

49.00 Maple Swamp

55.00 Near Swamp

T. 25 N. R. 3 E. 2nd Mer. Indiana. 233.

Chs. lks.

53.00 Clear Swamp
 79.82 Intersected N. 9. Line 10 lks. S. of post
 Land firm 43.00 Live Second
 rate - Timber W. Oak & Beech Last
 24.82 Second rate - Timber W. Oak, Sym.
 & Beech Undergrowth Spruce & P. Ash

89.4th W. Established Line bet^h Secs. 5 & 8
 30.06 an Elm 40 in. diam.
 39.91 Set 2nd Sec. post p. wh.
 a Beech 18 in. diam. 8. 478 E. 32 lks. dis.
 a Do 8 " " " N. 44 W. 9 " "
 58.60 a Poplar 18 " "
 79.82 to Sec. Cor.

89.40th W. On Random Bet^h Secs. 6 & 7 Var. 4255' E.
 5.00 Clear Maple Swamp
 17.00 Swamp again has N. W.
 28.00 Clear Swamp.
 40.00 Set 2nd Sec. post
 44.00 Maple Swamp again.
 51.00 Clear Swamp.
 75.80 Intersected N. Boundary 40 lks. N. of post
 Land firm 40.00 - bet^h Swamps
 Live Second rate - Timber P. Ash. Sym.
 & Beech - Spr. poor - Water from 1 to
 2 feet deep - Timber Maple
 Last 40.00 same Undergrowth.
 P. Ash. Spruce & Beech

89.22nd E. Established Line Bet^h Secs. 6 & 7
 15.18 a Sym 18 in. diam. Beech 20 437 E. 25 lks.
 31.00 a Maple 20 " " {Poplar 18 N. 44 E. 37 " "
 35.80 Set 2nd Sec. post p. wh.
 a Hickory 8 in. diam. 8. 470 W. 13 lks. dis.
 a Sym 20 " " " N. 45 E. 22 " "

T. 25 N. R. 3 E. 2nd Mer. Indiana,
 ch. lks.
 75.30 to Sec. Cor.

North Bittern Section 5 & 6 Var. 4.55' E.
 5.00 Clear Maple Swamp E & W
 24.00 County Road from Logansport to Big
 Deer Creek bear S 25 E.
 40.00 Set Temp. post
 45.00 Maple & Willow Pond
 58.00 Clear Pond (30 & 31 T. 26 N. R. 3 E.
 80.06 Intersection of Boundary 1.05 E. of Just. Cor. to Sec.
 The intersection of the N. Boundary
 so far E. of the post was caused by some
 local attraction

Land Below Swamp & Pond
 Soil second rate - Timber W. Oak.
 Hickory & Beech - Last 22.06 Open
 Soil 2nd rate - Timber a before -
 Undergrowth Spruce & Beech - Scattering
 Dec. 30 - 1846

449.6. Established Line Bittern Sec 5 & 6
 18.63 a Beech 20 in. diam. { Beech 12 4.33 1/4 W. 60 lks.
 30.13 a Hickory 18 " " { Hickory 8 4.33 1/4 E. 22 "
 40.06 Set 2nd Sec. post for with
 a Burr Oak 8 in. diam. 4.33 1/4 E. 25 lks. at
 a Hickory 10 " " " N 65 1/2 W. 4 " "
 60.08 a Beech 20 " " "
 80.06 to Sec. Cor. Dec. 30 - 1846.

Genl. Description

Township No. 25 N. R. 3 E.
 of the 2nd principal Meridian in the
 State of Indiana, is generally level.
 second rate Land The surface of the
 Land being elevated some ten ft. higher

ch. lks

than the Main water courses - passing from East to West through it - And from 20 to 30 feet elevation above the waters of the Wabash River, adjacent thereto - The Swamps, Marshes, Ponds and wet Lands, are all on an Elevation, or mostly so, with dry Lands.

In many places the Ascent of Land from the water courses - is very gradual - being from 5th to 60th - that being the most abrupt Elevⁿ - And from the Summit of the highest Banks of the Creeks, the Land is almost level; at least the descent is not perceptible to the Eye - The Current of the water courses, both Large & Small are very sluggish - and beds of the small streams are almost on a level with the surface of the soil - The Timber is generally W. Oak, Poplar, & Beech - there being a much larger portion of the latter -

I Abner E. Van Vels. Depy. Surveyor, do solemnly swear, that in pursuance of a Contract, dated the 20th of May 1846 with Lucius Lyon Surveyor General of the United States - for Ohio, Indiana, and Michigan - And in strict conformity to the Laws of the United States, and instruction of said Surveyor General - I have regularly surveyed and subdivided into Sec^s. Townships, R^s. 25 N. of Range R. 3 East of the second principal Meridian in the State of Indiana - And I do further solemnly - swear that the foregoing are

T. 25 N. R. 3 E. 2nd Mer. Indiana.
chs. lks.

the true and Original field Notes
of the said Survey and Subdivision
Executed as aforesaid

Honer E. Van Ness

Depy. Surveyor

Subscribed and sworn to before me
this day of Decr. 1847

Ja. W. Mann

Justice of the Peace

Justus Miners

Ja. Bell } Chainmen

Andrew Howard - Marker

I certify that the foregoing
Transcript of the field Notes of Township
N. 25. N. in Range N. 3 East. 2nd Meridian
Indiana, has been
compared with the Original notes
in this Office, and found to
be correct.

Surveyor Genl. Office
Detroit Nov. 1. 1847.

Lucius Lyon,
Ch. Genl.